




98% Zinc 400 ml (Z353)

Ambro-Sol offers a series of products specifically for galvanizing. This spray is ideal for adjusting, completing and repairing metal surfaces and galvanized parts with a grey finish. It protects, primes for paint, or can be used as a final finish.

98% ZINC – It is a cold galvanizer with high molecular weight. It chemically solidifies producing a long-lasting metal coating. It protects all metal surfaces from oxidation. It forms a resistant layer which can be painted or left as a final protection. It offers exceptional resistance to weathering in difficult conditions. It is ideal for re-touching, finishing, and repairing galvanized parts.

Technical Specifications:



Quantity	400ml
Box / Case	12 pcs
Barcode	EAN 13 8034108890500
Aspect	Tin-Plate can containing under pressure fluid
Physical state	Pigmented liquid in aerosol
Flash point	Und. 0° C extremely flammable
Pressure	at 20°C 5,5 bar
Relative density	at 20°C 0,75 ÷ 0,79 g/ml
Propellant	LPG
Chemical nature	Synthetic resin with inhibiting pigment of corrosion based on zinc dust
Colour	Dark grey
Powder purity Zn	> 98%
Odour	Characteristic of solvent
Resistance temperature	About 300°C
% Metal in the dry film	87 %
% Zinc in the dry film	59 %
Cylinder yield	2/3 mq2
Drying times = 20°	Out dust: 10' - Dry to touch: 20' Dry in depth: 6 hour Overpainted after 24 hours

APPLICATION FIELDS: Surfaces in metal as iron, aluminum, steel. Protection of ferrous metallic structures, pipelines, eaves, enclosures, job tools etc.

HOW TO USE: Carefully clean the surface to be treated, eliminating encrustations and traces of rust with synthetic thinner. If necessary, sand with abrasive paper. Turn the can upside-down and shake well until the marbles move freely inside. To avoid dripping apply twice from a distance of about 20-30 cm. Once finished, spray for 2-3 seconds with the can upside-down to clean the valve and allow for future use.

MODALITY OF STORAGE

Before using: stock the product in a dry location and don't stock it with a temperature under 5°C and over 45°C, after the use, keep containers closed. In the original package, the product can be conserved for 24 months (warranty). The product doesn't expire.

After the first usage: conserve in a fresh and dry location, away from hot spring. Keep out of reach of children.

This information, even if reliable, must be considered only approximate. We are not responsible for the wrong use of the product, or the violation of any license. Before using, the users should verify the suitability of the product for its specific use.

BEFORE USE, CONSULT THE SAFETY DATA SHEET OF THE PRODUCT